jct JOURNAL OF COATINGS TECHNOLOGY

Annual Index

1979

Volume 51
Numbers 648–659
January thru December, 1979

Journal of Coatings Technology
1979 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Application

Dip coating, turnover rate and solid content ..... Apr., 61
Electrodeposition ..... Feb., 34
Reverse-roll coating, rheology and surface appearance Nov., 46
Spraying, solvent evaporation and rheology ..... Dec., 57

Biological Materials and Processes

Fungi/mildew, *Aureobasidium pullulans*, on lab coatings ..... Aug., 33
Marine fouling ..... Oct., 88

Chemical Materials and Processes

Benzoin isobutyl ether, photoinitiator ..... Jan., 57
Castor oil derivatives, rheology ..... Feb., 29
2-Chlorothio xanthope, photoinitiator ..... Jan., 69
2,2-Diethoxy acetophenone, photoinitiator ..... Jan., 69
Ethyl para-dimethylamino benzoate, photoinitiator Jan., 69
Iron pigments, drying effect ..... Dec., 67
Karl Fischer reagent, water determination ..... Dec., 45
Organic titanate adhesion promoters ..... Aug., 38
Organolead wood preservatives ..... Apr., 43
Organometallic biologically active materials ..... Oct., 88
Organotin biologically active materials ..... May, 29
Potassium peroxy monosulfate, polymerization initiator ..... July, 81
Silane, N-Beta-(aminoethyl)-gamma-amino-propyl trimethoxy ..... June, 53
Silane, Methyl trimethoxy- ..... May, 37
Vegetable oil fatty acid derivatives ..... Oct., 51
Vegetable oils as raw materials ..... July, 53; Oct., 51

Coating-Related Materials

Adhesion promoters ..... June, 53; Aug., 38

Coatings

Aircraft ..... May., 54
Antifouling ..... Mar., 48; May, 29; Oct., 88
Coil ..... Nov., 46
Concrete surfaces ..... July, 74
Corrosion-resistant ..... Aug., 66
Dipping ..... Apr., 61
Exterior ..... Apr., 43
Exterior, clear ..... Apr., 43; June, 41
Fire retardant ..... Nov., 87
Pigment surface ..... Apr., 47
Primers, all surface ..... July, 45
Solar absorber/collector ..... May, 49
Spacecraft ..... May, 54

Acrylic ... Jan., 57; Mar., 69; June, 53; Aug., 38; Nov., 111
Acrylic, amine-neutralized ..... July, 59
Acrylic latex ..... July, 45
Acrylic latex, crosslinked ..... Oct., 65
Acrylic latex, fungus ..... Aug., 33
Acrylic, water soluble ..... Dec., 57
Alkyd, adhesion ..... Oct., 73
Alkyd, clear ..... June, 41
Alkyd, water-based ..... Sept., 49
Alkyd, water-based - acrylic ..... Oct., 35
Chlorinated rubber ..... Feb., 29
Emulsion ..... Apr., 27; Dec., 45
Emulsion, crosslinked ..... Feb., 34
Epoxy ..... Mar., 62
Epoxy, amine-cured, solventless ..... Dec., 49
Epoxy ester primer ..... Aug., 45
Glycouril—formaldehyde ..... Nov., 101
High-build ..... Feb., 29
Latex ..... Apr., 27; May, 37; Nov., 117
Latex, exterior ..... Apr., 43
Latex, plastic pigment ..... Nov., 63; Nov., 75
Linseed oil, exterior ..... Mar., 56
Linseed oil, wood ..... Oct., 61
Linseed oil-based, exterior ..... Feb., 25
Melamine-formaldehyde, crosslinked ..... Sept., 61
Metallic ..... June, 59; Nov., 111
Methacrylate, pigment surface ..... Apr., 47
Phenolic, clear ..... Apr., 43; June, 41
Pigmented, pigment/binder interaction ..... Aug., 51
Polyester ..... Aug., 45
Poly (ester-amide-urethane), water dispersible ..... July, 53
Polymeric diethanol amides from vegetable oil acids Oct., 51
Polyphosphazene ..... Nov., 87
Solvent-cast ..... Jan., 64
Thermosetting ..... Feb., 34
UV curable ..... Jan., 57; Jan., 69
Vinyl ..... May, 29
Water-based ..... July, 59; Nov., 46; Dec., 73
Zinc chromate-acrylic ..... Aug., 66

Coatings—Liquid Properties and Tests

Free amine content, head space method ..... Dec., 73
Non-volatile matter ..... July, 69

Rheology, effect of pigment dispersion ..... Oct., 79
Viscosity, effect of dilution and polymer composition July, 59
Water content ..... Dec., 45

Coatings Industry

Color control educational training ..... Jan., 53
Product liability litigation ..... Jan., 78
Research and development ..... Mar., 56
Technical trial testimony ..... Jan., 78

Color and Appearance

Aluminum flake orientation ..... Nov., 111
Appearance, geometric attributes ..... June, 64
Bronzing ..... Mar., 37
Color—pigment flocculation relation ..... Sept., 73
Gloss ..... June, 64
Metallic coatings, face and flop ..... June, 59
Reflectance ..... June, 59; June, 64
Reflectance, Specular ..... Mar., 37
Surface appearance—coating rheology relation .... Nov., 46
Yellowing, reversibility ..... Feb., 25
Applied Color Systems/Graco volumetric colorant dispenser ..... Feb., 71
Beckman Variable Angle Reflectance Attachment . June, 59
Color difference equations ..... May, 46
DuPont Color Simulator ..... Jan., 49
Educational training programs, color control ..... Jan., 53
Instrumental color control ..... June, 75
Instrumental color control, computerized ..... Jan. 49 Jan., 53; Feb., 71; Feb., 78; Mar., 45; May, 44; June, 75
Instrumental color control, tristimulus colorimeter . Apr., 64
Integrating sphere color measuring spectrophotometer ..... Mar., 37
PPG Digital Color Control system ..... Jan., 53

Cure and Curing

Crosslinking reactions, acrylic ..... Oct., 65
Crosslinking reactions, emulsion resins ..... Feb., 34
Crosslinking reactions, glycoluril-formaldehyde .. Nov., 101
Crosslinking, melamine-formaldehyde ..... Sept., 61
Electron beam curing ..... Feb., 34
Gamma radiation curing ..... Feb., 34
Ultraviolet curing ..... Feb., 34
Ultraviolet curing, photoinitiated ..... Jan., 69

Exposures and Weathering

Accelerated, salt spray ..... July, 45
Exterior ..... Apr., 43; June, 41
Water immersion ..... Mar., 48; May, 29

Film Degradation/Deterioration and Tests

Microbiological, fungi/mildew, on lab coatings ... Aug., 33

Film Formation

Aluminum flake orientation, film viscosity effect . Nov., 111
Amine evaporation rate ..... Dec., 73
Autooxidation and drying, oils ..... Dec., 67
Kinetics, latex films ..... Nov., 117
Latex—pigment relations ..... Nov., 117

Film Properties (Dry Film) and Tests

Adhesion, interfacial effect of OH ions ..... Aug., 45
Adhesion, organic titanate effect ..... Aug., 38
Adhesion, resin composition effect ..... Oct., 73
Adhesion, silane effect ..... June, 53
Chalking resistance, oil-based ..... Mar., 56
Cracking, latex ..... Nov., 117
Dirt resistance, oil-based ..... Mar., 56
Drying time, water-based alkyds ..... Sept., 49
Fire retardancy ..... Nov., 87
Flexibility, resin composition effect ..... June, 41
Fouling resistance ..... Mar., 48; May, 29; Oct., 88
Hiding, microvoid ..... Nov., 63; Nov., 75
Internal stress, solvent-cast ..... Jan., 64
Mildew resistance ..... Mar., 56
Mudcracking, latex ..... Nov., 117
Shock resistance, epoxy ..... Mar., 62
Shrinkage, solvent-cast ..... Jan., 64
Solvent resistance, latex-silane ..... May, 37
Stress, coating thickness effect ..... Dec., 49
Stress/strain, latex-silane ..... May, 37
Surface porosity ..... Nov., 63; Nov., 75
Water vapor permeability, effect of flow direction . July, 74

Government Specifications and Standards

CARB specifications, architectural coatings ..... Dec., 45
Scandinavian specifications, water-based coatings & inks ..... Dec., 73
U.S. Federal specifications and standards ..... Sept., 87
U.S. General Services Administration ..... Sept., 87

Inks

Acrylic ..... Jan., 69
Water-based ..... Dec., 73
UV curable ..... Jan., 69

Instrumental Analysis

Electronic digital balance ..... July, 69
Electron spectroscopy for chemical analysis ..... June, 53; Aug., 38
Fourier transform infrared spectrophotometry .... June, 53
Gas liquid chromatography ..... Mar., 62
Hunter glossmeter ..... June, 64
Scanning electron microscope ..... Mar., 56
Thermal evolution analysis ..... Oct., 65
Thermal gas chromatography ..... Oct., 65
Thermogravimetry ..... Dec., 67
X-ray photoelectron spectroscopy ..... Aug., 45

Manufacturing

Color matching ..... June, 75
Color matching, computerized ..... Jan., 49; Feb., 71; Feb., 78; Mar., 45; May, 44
Color quality control, tristimulus colorimeter ..... Apr., 64
Filter media/filtration ..... Feb., 68
Pigment dispersion ..... Oct., 79
Tank cleaning system ..... Sept., 81

Oils

Linseed, drying, iron compounds ..... Dec., 67
Linseed, exterior coatings ..... Mar., 56
Linseed, in water-dispersible resins ..... July, 53
Linseed, wood migration and oil composition .... Oct., 61
Linseed, yellowing ..... Feb., 25
Soya, in water-dispersible resins ..... July, 53

Paint Additives

Biological active agents, antifouling ..... Mar., 48; May, 29; Oct., 88

Latex modifier ..... May, 37
Rheological agent ..... Feb., 29

Pigments and Extenders

Artists colors, linseed oil drying ..... Dec., 67
Carbon black, water-based alkyd drying ..... Sept., 49
Inorganic colored, flocculation and color value .... Sept., 73
Iron acetylacetonate, linseed oil drying ..... Dec., 67
Iron oxides, linseed oil drying ..... Dec., 67
Metallic, aluminum flake orientation ..... Nov., 111
Non-metallic, bronzing ..... Mar., 37
Plastic, in latex coating ..... Nov., 63; Nov., 75
Selective solar absorbing, black ..... May, 49
Surface-treated, in linseed oil coatings ..... Mar., 56
Titanium dioxide, alkyd coatings ..... Oct. 73
Titanium dioxide, stabilized by adsorbed polymethacrylate ..... Apr., 47
Zinc chromate, in acrylic electrochemically passivating coating ..... Aug., 66

Color formulation ..... June, 75
Color formulation, computerized ..... Jan., 49; Feb., 71; Feb., 78; Mar., 45; May, 44
Dispersions, polymer/coating interactions ..... Aug., 51
Dispersions, rheology and sedimentation ..... Oct., 79
UV absorption, effect on UV curing ..... Jan., 69

Polymerization

Emulsion, potassium peroxymonosulfate ..... July, 81
Emulsion, reactions ..... Apr., 27
Emulsion, sulfate radical anion ..... July, 81
1,6-Hexanediol diacrylate, UV photoinitiated ..... Jan., 57
Latex particle structure, effect of polymerization reactions ..... Apr., 27

Polymers and Resins

Acrylic ..... Jan., 57; Nov., 111
Acrylic, amine neutralized, solution viscosity ..... July, 59
Acrylic latex ..... July, 45
Acrylic latex, crosslinked ..... Oct., 65
Acrylic, water soluble ..... Dec., 57
Alkyd, adhesion and resin properties ..... Oct., 73
Alkyd, water based-acrylic modified ..... Oct., 35
Alkyd, water-based, drying ..... Sept., 49
Chlorinated rubber, rheology ..... Feb., 29
Emulsion ..... July, 81
Emulsion, crosslinked ..... Feb., 34
Emulsion, plastic pigment ..... Nov., 63; Nov., 75
Emulsion, polymerization reactions ..... Apr. 27
Epoxy, amine-cured, solventless ..... Dec., 49
Epoxy, polymer-solvent/plasticizer interaction .... Mar., 62
Glycoluril-formaldehyde ..... Nov., 101
Latex, polymerization reactions ..... Apr., 27
Latex, silane modified ..... May, 37
Melamine-formaldehyde, crosslinked ..... Sept., 61
Methacrylate, pigment surface stabilizer ..... Apr., 47
Organotin, biologically active ..... Oct., 88
Poly (ester-amide-urethane), water dispersible ..... July, 53
Polymeric diethanol amides from vegetable oil acids Oct., 51
Polyphosphazene ..... Nov., 87
Thermosetting ..... Feb., 34
UV curable ..... Jan., 57
Water-based ..... Dec., 73
Pigment-binder interaction ..... Aug., 51
Pigment-polymer interaction ..... Apr., 47

Research and Development

Aircraft & spacecraft coatings ..... May, 54
Scandinavian Paint and Printing Ink Research Institute ..... Apr., 66

Solvents and Plasticizers

Solvent loss, influence on application properties ... Dec., 57
Solvent-plasticizer-resin interaction ..... Mar., 62

Substrates or Surfaces to be Coated

Concrete, coated, water vapor permeability ..... July, 74
Steel-adhesion promoter-coating interface June, 53; Aug., 38
Steel-alkyd interface ..... Oct., 73
Steel-latex primer interface ..... July, 45
Steel-primer interface, saponification ..... Aug., 45
Wood-latex primer interface ..... July, 45
Wood-linseed oil interaction, effect on oil composition ..... Oct., 61
Wood, Southern pine, organolead treated ..... Apr., 43

Surface Preparation and Pretreatment

Organized preservative for wood ..... Apr., 43

Alphabetical Listing of Papers

A

Assessment of Dispersion—T. Sato, Oct., p. 79.
Automation of the Percent Nonvolatiles Analysis—P.W. Fletcher, July, p. 69.

B

Behavior of Amines in Water-Dilutable Coatings and Printing Inks—C.M. Hansen and K.B. Nielson, Dec., p. 73.

C

Chemistry of Glycoluril-Formaldehyde Resins and Their Performance in Coatings—G.G. Parekh, Nov., p. 101.
Coating Durability on Organolead-Treated Southern Pine in Exterior Exposure—H.M. Barnes, Apr., p. 43.
Coatings Opportunities: An Overview—S. Lauren, May, p. 56.
Colorimetric Assessment of the Degree of Flocculation of Inorganic Color Pigments—S. Keifer, Sept., p. 73.
Comparison of Methods to Determine Water Content of Emulsion Paints—Golden Gate Society for Coatings Technology, Dec., p. 45
Computer Color Control in a Multi-User Environment—D.W. Parker, May, p. 44.
Computer Program to Evaluate Anti-Fouling Materials—B.R. Appleman and R.E. Panzer, Mar., p. 48.
Current Status of the Color-Difference Problem—F.W. Billmeyer, Jr., May, p. 46.

D

Development of Computer Color Formulation and Control—H.R. Davidson, Feb., p. 78.

E

Effect of Film Viscosity on Aluminum Flake Orientation in Thermoplastic Acrylic Coatings—J.J. Wojtkowiak, Nov., p. 111.
Effect of Reaction Pathway on Emulsion Polymer Structure—K.L. Hoy, Apr., p. 27.
Effect of Turnover Rate on the Solid Content in Dip-Coating Bath—T. Sato, Apr., p. 61.
Evaluation and Modification of the Beckman Variable Angle Accessory for Characterization of Metallic Coatings—D.T. Roberts and B.H. Todd, June, p. 59.
Exposure Evaluation: Part II—Bronzing—R. Johnston-Feller and D. Osmer, Mar., p. 37.

F

Factors Influencing Drying Properties of a Water-Reducible Alkyd—Kansas City Society for Coatings Technology, Sept., p. 49.
Federal Specifications: The Key to Government Requirements and Testing—R.F. Brady, Jr., Sept., p. 87.
Flash Photolysis of Potassium Peroxymonosulfate with Generation of Sulfate Radical Anion and Quenching by Vinyl Monomers—V.D. McGinniss and A.F. Kah, July, p. 81.
Flexibility and its Retention in Clear Coatings Exposed to Weathering—H.E. Ashton, June, p. 41.

G

Growth of *Aureobasidium pullulans* on Artificially Weathered Paint Films—R.E. Crang and D.G. Pechak, Aug., p. 33.

I

Importance of Diffusion in the Electrochemical Action of Oxidizing Pigments—M. Piens, Aug., p. 66.
Influence of Flow Direction on Water Vapor Permeability Through Organic Coating-Porous Building Materials Systems—D.Y. Perera and D. Vanden Eynde, July, p. 74.
Internal Strain in Solvent-Cast Coatings—S.G. Croll, Jan., p. 64.
Interplant Quality Control by Means of Simple Tri-Stimulus Colorimeters—D.H. Cook, Apr., p. 64.

L

Latex-Based All-Surface Primers—A. Mercurio and R. Flynn, July, p. 45.
Linseed Oil–Metal Acetylacetonate Systems V. Thermogravimetry of Iron Based Pigments—N. Indictor, C.J. Shahani, M.J.D. Low, J. Chan, and N.S. Baer, Dec., p. 67.

M

Methyltrimethoxysilane Modifications of Organic Latexes: Room Temperature Curable Films—M. Lutz and K. Polmanteer, May, p. 37.
Mildew and Chalking of Linseed Oil Paints from Treated Pigments—R.L. Eissler, J.A. Stolp, and F.L. Baker, Mar., p. 56.

N

New Developments in Anti-Fouling, A Review of the Present State of the Art—D. Atherton, J. Verborgt, and M.A.M. Winkeler, Oct., p. 88.
New Solventless Polymeric Protective Coatings from Fatty Acids Derivatives—F.L. Thomas and L.E. Cast, Oct., p. 51.

O

Opportunities in Air Force Coatings Research and Development—D.E. Prince, May, p. 54.

P

People Make or Break An Instrumental Color Control System—R.T. Marcus, Jan., p. 53.
Physical Model for Mudcracking in Latex Paint Films—G. Bierwagen, Nov., p. 117.
Pigment-Polymer Interaction and Technological Properties of Pigmented Coatings and Plastics—G. Kaempf, Aug., p. 51.
Plastic Pigment: A Novel Approach to Microvoid Hiding. Part I: Introduction and Mechanism—A. Ramig, Jr. and F.L. Floyd, Nov., p. 63.
Plastic Pigment: A Novel Approach to Microvoid Hiding. Part II: Controlling Parameters for Performance—F.L. Floyd and A. Ramig, Jr., Nov., p. 75.
Polyacrylate-Modified Water-Borne Alkyds—E. Levine and E.J. Kuzma, Oct., p. 35.
Poly(ester-amide-urethane) Water-Dispersible and Emulsifiable Resins—W.J. Schneider and L.E. Gast, July, p. 53.
Polyphosphazenes as New Coating Binders—A.K. Chattopadhyay, R.L. Hinrichs, and S.H. Rose, Nov., p. 87.
Practical Aspects of Current Color-Measurement Instrumentation for Coatings Technology—D.C. Rich and F.W. Billmeyer, Jr., Mar., p. 45.
Practical Aspects of Instrumental and Computer Color Control in a Small Paint Plant—E.J. Lowrey, June, p. 75.
Preparation and Testing of Anti-Fouling Coatings Based on Triphenyltin Fluoride—N.A. Ghanem and M.M. Abd El Malek, May, p. 29.
Processing Intermediates for High-Build Paints—I. Kikic, R. Lapasin, G. Torriano, and A. Papo, Feb., p. 29.

R

Reactions of UV Curable Resin Formulations and Neat Multifunctional Acrylates—II: Photoinitiated Polymerization of Neat 1,6-Hexanediol Diacrylate—G.L. Collins and J.R. Costanza, Jan., p. 57.
Reaction Mechanism of Melamine Resins—W.J. Blank, Sept., p. 61.
Re-Search for Opportunity—C.M. Hansen, Apr., p. 66.
Residual Stress in a Solventless Amine Cured Epoxy Coating—S.G. Croll, Dec., p. 49.
Reversibility of Yellowing Phenomenon in Linseed-Based Paints—H. Rakoff, F.L. Thomas, and L.E. Gast, Feb., p. 25.
Review of Geometric Attributes of Appearance—J.S. Christie, Jr., June, p. 64.
The Role of the Company Expert in Product Liability Litigation—L.A. Lehr, Jr., Jan., p. 78.

S

Selection of Straining (Nominal Filtration) Equipment for Coatings—A. Tankha, Feb., p. 68.
Silane Adhesion Promoters in Acrylic Resins: Preliminary Research—Cleveland Society for Coatings Technology, June, p. 53.
Solar Collector Performance: A Dependence upon Coatings—R.E. Wolf, May, p. 49.

Solvent Loss from Water-Soluble Acrylic Coatings and Its Effect on Flow—L.B. Brandenburger and L.W. Hill, Dec., p. 57.
Solvent-Plasticizer-Resin Interactions by Gas-Liquid Chromatography—P. Alessi, I. Kikic, G. Torriano, and A. Papo, Mar., p. 62.
Some Factors Affecting Cure of UV Curing Inks and Varnishes—G. Plews and R. Phillips, Jan., p. 69.
Steric Stabilization of Surface-Coated Titanium Dioxide Pigments by Absorbed Methacrylate Copolymers—G.J. Howard and C.C. Ma, Apr., p. 47.
Studies on Adhesion: Role of Acid and Hydroxyl Values of the Medium—M.N. Sathyanarayana, P.S. Sampathkumaran, and M.A. Sivasamban, Oct., p. 73.
Study of Latex Crosslinking by Thermal Evolution Techniques—D.R. Bassett, M.A. Sherwin, and S.L. Hager, Oct., p. 65.
Study of Organic Titanates as Adhesion Promoters—Cleveland Society for Coatings Technology, Aug., p. 38.
Surface Analysis of Interfacial Chemistry in Corrosion-Induced Paint Adhesion Loss—J.S. Hammond, J.W. Holubka, and R.A. Dickie, Aug., p. 45.
Survey of the Applications, Properties, and Technology of Crosslinking Emulsion. Part VI—J.R. Grawe and B.G. Bufkin, Feb., p. 34.

T

Tank Cleaning System for the Small Paint Plant—A.G. Morris, Sept., p. 81.
Total Instrumentation in Color Manufacture—A.B.J. Rodrigues, Jan., p. 49.
Transfer and Leveling Process and Rheological Design in Water-Borne Reverse-Roll Coating Systems—T. Matsuda and W.H. Brendley, Jr., Nov., p. 46.
Triglyceride and Free Fatty Acid Composition of Linseed Oil in Wood—M.H. Schneider, Oct., p. 61.

V

Viscosity of Cosolvent/Water Solutions of Amine Neutralized Acrylic Copolymers—L.W. Hill and B.M. Richards, July, p. 59.
Volumeteric Computer Color Matching—B.H. Todd, Feb., p. 71.

Author Index

A

ABD EL MALEK, M.M—See Ghanem, N.A.
ALESSI, P., KIKIC, L., TORRIANO, G., and PAPO, A.—Solvent-Plasticizer-Resin Interactions by Gas-Liquid Chromatography, Mar., p. 62.
APPLEMAN, B.R. and PANZER, R.E.—Computer Program to Evaluate Anti-Fouling Materials, Mar., p. 48.
ASHTON, H.E.—Flexibility and Its Retention in Clear Coatings Exposed to Weathering, June, p. 41.
ATHERTON, D., VERBORGT, J., and WINKELER, M.A.M.—New Developments in Anti-Fouling, A Review of the Present State of the Art, Oct., p. 88.

B

BAER, N.S.—See Indictor, N.
BAKER, F.L.—See Eissler, R.L.
BARNES, H.M.—Coating Durability on Organolead-Treated Southern Pine in Exterior Exposure, Apr., p. 43.
BASSETT, D.R., SHERWIN, M.A., and HAGAR, S.L.—Study of Latex Crosslinking by Thermal Evolution Techniques, Oct., p. 65.
BIERWAGEN, G.—Physical Model for Mudcracking in Latex Paint Films, Nov., p. 117.
BILLMEYER, F.W. JR.—Current Status of the Color-Difference Problem, May, p. 46.
BILLMEYER, F.W., JR.,—See Rich, D.C.
BLANK, W.J.—Reaction Mechanism of Melamine Resins, Sept., p. 61.
BRADY, R.F., JR.—Federal Specifications: The Key to Government Requirements and Testing, Sept., p. 87.
BRANDENBURGER, L.B. and HILL, L.W.—Solvent Loss from Water-Soluble Acrylic Coatings and Its Effect on Flow, Dec., p. 57.
BRENDLEY, W.H., JR.—See Matsuda, T.
BUFKIN, B.G.—See Grawe, J.R.

C

CHAN, J.—See Indictor, N.
CHATTOPADHYAY, A.K., HINRICHS, R.L., and ROSE, S.H.—Polyphosphazenes as New Coating Binders, Nov., p. 87.
CHRISTIE, J.S., JR.—Review of Geometric Attributes of Appearance, June, p. 64.
COLLINS, G.L. and COSTANZA, J.R.—Reactions of UV Curable Resin Formulations and Neat Multifunctional Acrylates—II: Photoinitiated Polymerization of Neat 1,6-Hexanediol Diacrylate, Jan., p. 57.
COOK, D.H.—Interplant Quality Control by Means of Simple Tri-Stimulus Colorimeters, Apr., p. 64.
COSTANZA, J.R.—See Collins, G.L.
CRANG, R.E. and PECHAK, D.G.—Growth of *Aureobasidium pullulans* on Artificially Weathered Paint Films, Aug., p. 33.
CROLL, S.G.—Internal Strain In Solvent-Cast Coatings, Jan., p. 64.
CROLL, S.G.—Residual Stress in a Solventless Amine Cured Epoxy Coating, Dec., p. 49.

D

DAVIDSON, H.R.—Development of Computer Color Formulation and Control, Feb., p. 78.
DICKIE, R.A.—See Hammond, J.S.

E

EISSLER, R.L., STOLP, J.A., and BAKER, F.L.—Mildew and Chalking of Linseed Oil Paints from Treated Pigments, Mar., p. 56.

F

FLETCHER, P.W.—Automation of the Percent Nonvolatiles Analysis, July, p. 69.
FLOYD, F.L.—See Ramig, A., Jr.
FLOYD, F.L. and RAMIG, A., JR.—Plastic Pigment: A Novel Approach to Microvoid Hiding. Part II: Controlling Parameters for Performance, Nov., p. 75.
FLYNN, R.—See Mercurio, A.

G

GAST, L.E.—See Rakoff, H.; Schneider, W.J.; Thomas, F.L.
GHANEM, N.A. and ABD EL MALEK, M.M.— Preparation and Testing of Anti-Fouling Coatings Based on Triphenyltin Fluoride, May, p. 29.
GRAWE, J.R. and BUFKIN, B.G.—Survey of the Applications, Properties, and Technology of Crosslinking Emulsions. Part VI, Feb., p. 34.

H

HAGAR, S.L.—See Bassett, D.R.
HAMMOND, J.S., HOLUBKA, J.W., and DICKIE, R.A.—Surface Analysis of Interfacial Chemistry in Corrosion-Induced Paint Adhesion Loss, Aug., p. 45.
HANSEN, C.M.—Re-Search for Opportunity, Apr., p. 66.
HANSEN, C.M. and NIELSEN, K.B.—Behavior of Amines in Water-Dilutable Coatings and Printing Inks, Dec., p. 73
HILL, L.W.—See Brandenburger, L.B.
HILL, L.W. and RICHARDS, B.M.—Viscosity of Cosolvent/Water Solutions of Amine Neutralized Acrylic Copolymers, July, p. 59.
HINRICHS, R.L.—See Chattopadhyay, A.K.
HOLUBKA, J.W.—See Hammond, J.S.
HOWARD, G.J. and MA, C.C.—Steric Stabilization of Surface-Coated Titanium Dioxide Pigments by Absorbed Methacrylate Copolymers, Apr., p. 47.
HOY, K.L.—Effect of Reaction Pathway on Emulsion Polymer Structure, Apr., p. 27.

I

INDICTOR, N., SHAHANI, C.J., LOW, M.J.D., CHAN, J., and BAER, N.S.—Linseed Oil—Metal Acetylacetonate Systems V. Thermogravimetry of Iron Based Pigments, Dec., p. 67.

J

JOHNSTON-FELLER, R. and OSMER, D.—Exposure Evaluation: Part II—Bronzing, Mar., p. 37.

K

KAEMPF, G.—Pigment-Polymer Interaction and Technological Properties of Pigmented Coatings and Plastics, Aug., p. 51.
KAH, A.F.—See McGinniss, V.D.
KEIFER, S.—Colorimetric Assessment of the Degree of Flocculation of Inorganic Color Pigments, Sept., p. 73.
KIKIC, I.—See Alessi, P.
KIKIC, I., LAPASIN, R., TORRIANO, G., and PAPO, A.—Processing Intermediates for High-Build Paints, Feb., p. 29.
KUZMA, E.J.—See Levine, E.

L

LAPASIN, R.—See Kikic, I.
LAUREN, S.—Coatings Opportunities: An Overview, May, p. 56.
LEHR, L.A., JR.—The Role of the Company Expert In Product Liability Litigation, Jan., p. 78.
LEVINE, E. and KUZMA, E.J.—Polyacrylate-Modified Water-Borne Aklyds, Oct., p. 35.
LOW, M.J.D.—See Indictor, N.
LOWREY, E.J.—Practical Aspects of Instrumental and Computer Color Control in a Small Paint Plant, June, p. 75.
LUTZ, M. and POLMANTEER, K.—Methyltrimethoxysilane Modifications of Organic Latexes: Room Temperature Curable Films, May, p. 37.

M

MA, C.C.—See Howard, G.J.
MARCUS, R.T.—People Make or Break an Instrumental Color Control System, Jan., p. 53.
MATSUDA, T. and BRENDLEY, W.H., JR.—Transfer and Leveling Process and Rheological Design in Water-Borne Reverse-Roll Coating Systems, Nov., p. 46.
MCGINNISS, V.D. and KAH, A.F.—Flash Photolysis of Potassium Peroxymonosulfate with Generation of Sulfate Radical Anion and Quenching by Vinyl Monomers, July, p. 81.
MERCURIO, A. and FLYNN, R.—Latex-Based All-Surface Primers, July, p. 45.
MORRIS, A.G.—Tank Cleaning System for the Small Paint Plant, Sept., p. 81.

N

NIELSEN, K.B.—See Hansen, C.M.

O

OSMER, D.—See Johnston-Feller, R.

P

PANZER, R.E.—See Appleman, B.R.
PAPO, A.—See Kikic, I.; Alessi, P.
PAREKH, G.G.—Chemistry of Glycoluril-Formaldehyde Resins and Their Performance in Coatings, Nov., p. 101.
PARKER, D.W.—Computer Color Control in a Multi-User Environment, May, p. 44.
PECHAK, D.G.—See Crang, R.E.
PERERA, D.Y. and VANDEN EYNDE, D.—Influence of Flow Direction on Water Vapor Permeability Through Organic Coating-Porous Building Materials Systems, July, p. 74.
PHILLIPS, R.—See Plews, G.
PIENS, M.—Importance of Diffusion in the Electrochemical Action of Oxidizing Pigments, Aug., p. 66.
PLEWS, G. and PHILLIPS, R.—Some Factors Affecting Cure of UV Curing Inks and Varnishes, Jan., p. 69.
POLMANTEER, K.—See Lutz, M.
PRINCE, D.E.—Opportunities in Air Force Coatings Research and Development, May, p. 54.

R

RAKOFF, H., THOMAS, F.L., and GAST, L.E.—Reversibility of Yellowing Phenomenon in Linseed-Based Paints, Feb., p. 25.
RAMIG, A., JR.—See Floyd, F.L.
RAMIG, A., JR. and FLOYD, F.L.—Plastic Pigment: A Novel Approach to Microvoid Hiding. Part I: Introduction and Mechanism, Nov., p. 63.
RICH, D.C. and BILLMEYER, F.W., JR.—Practical Aspects of Current Color-Measurement Instrumentation for Coatings Technology, Mar., p. 45.
RICHARDS, B.M.—See Hill, L.W.
ROBERTS, D.T. and TODD, B.H.—Evaluation and Modification of the Beckman Variable Angle Accessory for Characterization of Metallic Coatings, June, p. 59.
RODRIGUES, A.B.J.—Total Instrumentation In Color Manufacture, Jan., p. 49.
ROSE, S.H.—See Chattopadhyay, A.K.

S

SAMPATHKUMARAN, P.S.—See Sathyanarayana, M.N.
SATHYANARAYANA, M.N., SAMPATHKUMARAN, P.S. and SIVASAMBAN, M.A.—Studies on Adhesion: Role of Acid Value and Hydroxyl Value of the Medium, Oct., p. 73.
SATO, T.—Assessment of Dispersion, Oct. p. 79.
SATO, T.—Effect of Turnover Rate on the Solid Content in Dip-Coating Bath, Apr., p. 61.
SCHNEIDER, M.H.—Triglyceride and Free Fatty Acid Composition of Linseed Oil in Wood, Oct., p. 61.
SCHNEIDER, W.J. and GAST, L.E.—Poly(ester-amide-urethane) Water-Dispersible and Emulsifiable Resins, July, p. 53.
SHAHANI, C.J.—See Indictor, N.
SHERWIN, M.A.—See Bassett, D.R.
SIVASAMBAN, M.A.—See Sathyanarayana, M.N.

STOLP, J.A.—See Eissler, R.L.

T

TANKHA, A.—Selection of Straining (Nominal Filtration) Equipment for Coatings, Feb., p. 68.
THOMAS, F.L.—See Rakoff, H.
THOMAS, F.L. and GAST, L.E.—New Solventless Polymeric Protective Coatings from Fatty Acids Derivatives, Oct., p. 51.
TODD, B.H.—See Roberts, D.T.
TODD, B.H.—Volumetric Computer Color Matching, Feb., p. 71.
TORRIANO, G.—See Kikic, I.; Alessi, P.

V

VANDEN EYNDE, D.—See Perera, D.Y.
VERBORGT, J.—See Atherton, D.

W

WINKELER, M.A.M.—See Atherton, D.
WOJTKOWIAK, J.J.—Effect of Film Viscosity on Aluminum Flake Orientation in Thermoplastic Acrylic Coatings, Nov., p. 111.
WOLF, R.E.—Solar Collector Performance: A Dependence upon Coatings, May, p. 49.

Proceedings Of the Paint Research Institute

No. 137—Growth of *Aureobasidium pullulans* on Artificially Weathered Paint Films, Aug., p. 33.

Constituent Society Papers

CLEVELAND—Silane Adhesion Promoters in Acrylic Resins: Preliminary Research, June, p. 53.
CLEVELAND—Study of Organic Titanates as Adhesion Promoters, Aug., p. 38.
GOLDEN GATE—Comparisons of Methods to Determine Water Content of Emulsion Paints, Dec., p. 45.
KANSAS CITY—Factors Influencing Drying Properties of a Water-Reducible Alkyd, Sept., p. 49.